

N.K.CORE DIAGNOSTICS

Patient Name : MR. REVIEW ALL REPORTS

Referral : SELF

Report Date : Dec 03, 2024, 12:01 a.m.

Sample Date : Dec 02, 2024, 11:57 p.m.

Age : 22 years (Male)

Reg. ID : I - 7

Sample ID : 000833724

Vancomycin *		
Test Description	Value(s)	Reference Range
Test With Age Specific Range	11	
Test With Normal Range	2	10 - 70

END OF REPORT



Request: 2168927

Asia Pacific Medical & Diagnostics

Results

Patient ORTIZ, LEO PLANTILLA Phone: Sex: Male Age: 38 years Birth Date: 18th May 1986 Email:	Requesting Organisation THE MED CLUB HEALTH GROUP, INC. ACCOUNT PAYMENT Level 4 Ayala Malls Vertis North, Barangay Bagong Pag-asa Quezon City Phone: 87352896 Fax:
--	--

▶ Vitamin B12 Validated 2024-10-26 16:41:06 by Cherie O. Partible, RMT - Lic. #64983 <i>Partible</i>				
Procedure/Item	Abnormal Flag	Result	Units	Reference Range
Vitamin B12		401	pg/mL	(180 - 914)

▶ Hemoglobin A1C Performed 2024-10-24 16:37:32 by Ma Zeny T Flores, RMT - LIC#0106309 <i>Hazy</i> Validated 2024-10-24 16:51:08 by Annabelle O Narbonito, RMT - LIC#0102813 <i>Annabelle</i>				
Procedure/Item	Abnormal Flag	Result	Units	Reference Range
HBA1c		5.45	%	(4.27 - 6.07)

▶ Iron Validated 2024-10-26 16:41:06 by Cherie O. Partible, RMT - Lic. #64983 <i>Partible</i>				
Procedure/Item	Abnormal Flag	Result	Units	Reference Range
Iron		127	ug/dL	(36.9 - 145.2)

▶ Total Iron Binding Capacity Validated 2024-10-28 12:30:18 by Maria Pamela Veterbo, RMT - Lic. # 38295 <i>CVeterbo</i>				
Procedure/Item	Abnormal Flag	Result	Units	Reference Range
TIBC		69.3	umol/L	(30.6 - 90.3)

▶ Ferritin Validated 2024-10-26 16:41:06 by Cherie O. Partible, RMT - Lic. #64983 <i>Partible</i>				
Procedure/Item	Abnormal Flag	Result	Units	Reference Range
Ferritin	*High	941.65	ng/mL	(30 - 300)

▶ Vitamin D Validated 2024-10-26 16:41:06 by Cherie O. Partible, RMT - Lic. #64983 <i>Partible</i>				
Procedure/Item	Abnormal Flag	Result	Units	Reference Range
Vitamin D		20.16* ng/mL		

Reference Range: 30.0 - 40.0 ng/mL

▶ Creatine Kinase MB Validated 2024-10-26 16:41:06 by Cherie O. Partible, RMT - Lic. #64983 <i>Partible</i>				
Procedure/Item	Abnormal Flag	Result	Units	Reference Range
CKMB		13	U/L	(7 - 25)

► **Folate Serum** Validated 2024-10-26 16:41:06 by Cherie O. Partible, RMT - Lic. #64983 *Partible*

Procedure/Item	Abnormal Flag	Result	Units	Reference Range
Folate		6.1	ng/mL	(5.3 - 14.4)

► **Thyroid Stimulating Hormone (TSH)** Performed 2024-10-24 16:48:12 by Ma Zeny T Flores, RMT - LIC#0106309 *Hapo*
Validated 2024-10-24 16:55:14 by Annabelle O Narbonito, RMT - LIC#0102813 *Annabelle*

Procedure/Item	Abnormal Flag	Result	Units	Reference Range
TSH		2.87	uIU/mL	(0.27 - 4.2)

► **Free T3** Performed 2024-10-24 16:48:13 by Ma Zeny T Flores, RMT - LIC#0106309 *Hapo*
Validated 2024-10-24 16:55:18 by Annabelle O Narbonito, RMT - LIC#0102813 *Annabelle*

Procedure/Item	Abnormal Flag	Result	Units	Reference Range
Free Triiodothyronine (FT3)-1		5.80	pMoL/L	(4.26 - 8.10)

► **Free T4** Performed 2024-10-24 16:49:33 by Ma Zeny T Flores, RMT - LIC#0106309 *Hapo*
Validated 2024-10-24 16:55:23 by Annabelle O Narbonito, RMT - LIC#0102813 *Annabelle*

Procedure/Item	Abnormal Flag	Result	Units	Reference Range
Free Thyroxine (FT4)		19.7	pMoL/L	(10.0 - 25.0)

► **Testosterone** Validated 2024-10-26 16:35:52 by Cherie O. Partible, RMT - Lic. #64983 *Partible*

Procedure/Item	Abnormal Flag	Result	Units	Reference Range
Testosterone		28.86 nmol/L		

Reference range: 8.33 - 30.19 nmol/L

► **Alpha Feto Protein** Validated 2024-10-26 16:36:18 by Cherie O. Partible, RMT - Lic. #64983 *Partible*

Procedure/Item	Abnormal Flag	Result	Units	Reference Range
Alpha Feto Protein		2.22	IU/mL	(0.5 - 5.8)

► **CA 72-4** Validated 2024-10-25 16:07:09 by Maria Pamela Veterbo, RMT - Lic. # 38295 *C. Veterbo*

Patient`s Value : 2.45 U/ml
Reference Range : 0.00 - 6.90 U/ml

► **Prostate Specific Antigen (PSA)** Performed 2024-10-24 16:49:33 by Ma Zeny T Flores, RMT - LIC#0106309 *Hapo*
Validated 2024-10-24 16:58:35 by Annabelle O Narbonito, RMT - LIC#0102813 *Annabelle*

Procedure/Item	Abnormal Flag	Result	Units	Reference Range
PSA		0.250	ng/mL	(0.0 - 4.0)

► CYFRA 21-1

Performed 2024-10-26 16:43:13 by Cherie O. Partible, RMT - Lic. #64983



Validated 2024-10-26 16:43:19 by Cherie O. Partible, RMT - Lic. #64983



Patient's value: 1.63 ng/mL

Normal value: < 2.08 ng/mL

► C-Reactive Protein - High
Sensitivity

Validated 2024-10-26 16:36:44 by Cherie O. Partible, RMT - Lic. #64983



Patient value: 0.4

Reference Range: <= 5.0 ng/ml

► Cytology & Cell Block

Results Not Yet Validated.

Request: 2168927, Requested: 2024-10-24 16:12:51, Enc: micros,
Pathologist: Leonisa S Sagun, MD, FPSP. License No. 45187